



WS-Technology offers the following O-ring size, with different material to choice from such as EPDM, FVQM, FKM, FFKM, FEPM etc for other non-standard sizes we can ODM for our customer

AS-568A 0-SERIES			
O-RING	I. D (mm)	O. D (mm)	W (mm)
001	0.74	2.78	1.02
002	1.07	3.61	1.27
003	1.42	4.48	1.53
004	1.78	5.34	1.78
005	2.57	6.13	1.78
006	2.90	6.46	1.78
007	3.69	7.25	1.78
008	4.47	8.03	1.78
009	5.29	8.85	1.78
010	6.07	9.63	1.78
011	7.65	11.21	1.78
012	9.25	12.81	1.78
013	10.82	14.38	1.78
014	12.40	15.96	1.78
015	14.00	17.56	1.78
016	15.60	19.16	1.78
017	17.17	20.73	1.78
018	18.77	22.33	1.78
019	20.35	23.91	1.78
020	21.95	25.51	1.78
021	23.52	27.08	1.78
022	25.12	28.68	1.78
023	26.70	30.26	1.78
024	28.30	31.86	1.78
025	29.87	33.43	1.78
026	31.47	35.03	1.78
027	33.05	36.61	1.78
028	34.65	38.21	1.78
029	37.82	41.38	1.78
030	41.00	44.56	1.78

AS-568A O-SERIES			FKM75#4
O-RING	I. D (mm)	O. D (mm)	W (mm)
031	44.17	47.73	1.78
032	47.35	50.91	1.78
033	50.52	54.08	1.78
034	53.70	57.26	1.78
035	56.87	60.43	1.78
036	60.04	63.60	1.78
037	63.22	66.78	1.78
038	66.40	69.96	1.78
039	69.55	73.11	1.78
040	72.75	76.31	1.78
041	75.92	79.48	1.78
042	82.27	85.83	1.78
043	88.62	92.18	1.78
044	94.97	98.53	1.78
045	101.32	104.88	1.78
046	107.62	111.18	1.78
047	114.02	117.58	1.78
048	120.37	123.93	1.78
049	126.72	130.28	1.78
050	133.07	136.63	1.78

AS-568A 1-SERIES			
O-RING	I. D (mm)	O. D (mm)	W (mm)
102	1.24	6.48	2.62
103	2.05	7.29	2.62
104	2.84	8.08	2.62
105	3.63	8.87	2.62
106	4.42	9.66	2.62
107	5.23	10.47	2.62
108	6.02	11.26	2.62
109	7.60	12.84	2.62
110	9.19	14.43	2.62
111	10.77	16.01	2.62
112	12.37	17.61	2.62
113	13.95	19.19	2.62
114	15.54	20.78	2.62
115	17.12	22.36	2.62
116	18.72	23.96	2.62
117	20.29	25.53	2.62
118	21.90	27.14	2.62
119	23.47	28.71	2.62
120	25.07	30.31	2.62
121	26.65	31.89	2.62
122	28.25	33.49	2.62
123	29.82	35.06	2.62
124	31.42	36.66	2.62
125	32.99	38.23	2.62
126	34.60	39.84	2.62
127	36.17	41.41	2.62
128	37.77	43.01	2.62
129	39.35	44.59	2.62
130	40.95	46.19	2.62
131	42.52	47.76	2.62
132	44.12	49.36	2.62
133	45.70	50.94	2.62
134	47.30	52.54	2.62
135	48.90	54.14	2.62
136	50.47	55.71	2.62
137	52.07	57.31	2.62
138	53.65	58.89	2.62

139	55.25	60.49	2.62
140	56.82	62.06	2.62
141	58.42	63.66	2.62
142	60.00	65.24	2.62
143	61.60	66.84	2.62
144	63.17	68.41	2.62
145	64.77	70.01	2.62
146	66.35	71.59	2.62
147	67.95	73.19	2.62
148	69.52	74.76	2.62
149	71.12	76.36	2.62
150	72.70	77.94	2.62
151	75.87	81.11	2.62
152	82.22	87.46	2.62
153	88.57	93.81	2.62
154	94.92	100.16	2.62
155	101.27	106.51	2.62
156	107.62	112.86	2.62
157	113.97	119.21	2.62
158	120.32	125.56	2.62
159	126.67	131.91	2.62
160	133.02	138.26	2.62
161	139.37	144.61	2.62
162	145.72	150.96	2.62
163	152.07	157.31	2.62
164	158.42	163.66	2.62
165	164.77	170.01	2.62
166	171.12	176.36	2.62
167	177.47	182.71	2.62
168	183.82	189.06	2.62
169	190.17	195.41	2.62
170	196.52	201.76	2.62
171	202.87	208.11	2.62
172	209.22	214.46	2.62
173	215.57	220.81	2.62
174	221.92	227.16	2.62
175	228.27	233.51	2.62
176	234.62	239.86	2.62
177	240.97	246.21	2.62
178	247.32	252.56	2.62



AS-568A 2-SERIES			FKM75#4
O-RING	I. D (mm)	O. D (mm)	W (mm)
201	4.34	11.40	3.53
202	5.94	13.00	3.53
203	7.52	14.58	3.53
204	9.12	16.18	3.53
205	10.69	17.75	3.53
206	12.29	19.35	3.53
207	13.87	20.93	3.53
208	15.47	22.53	3.53
209	17.04	24.10	3.53
210	18.64	25.70	3.53
211	20.22	27.28	3.53
212	21.82	28.88	3.53
213	23.40	30.46	3.53
214	25.00	32.06	3.53
215	26.57	33.63	3.53
216	28.17	35.23	3.53
217	29.75	36.81	3.53
218	31.34	38.40	3.53
219	32.92	39.98	3.53
220	34.52	41.58	3.53
221	36.10	43.16	3.53
222	37.70	44.76	3.53
223	40.87	47.93	3.53



AS-568A 2-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
-224	44.05	51.11	3.53
-225	47.22	54.28	3.53
-226	50.40	57.46	3.53
-227	53.57	60.63	3.53
-228	56.75	63.81	3.53
-229	59.92	66.98	3.53
-230	63.10	70.16	3.53
-231	66.27	73.33	3.53
-232	69.44	76.50	3.53
-233	72.62	79.68	3.53
-234	75.79	82.85	3.53
-235	78.97	86.03	3.53
-236	82.14	89.20	3.53
-237	85.32	92.38	3.53
-238	88.49	95.55	3.53
-239	91.67	98.73	3.53
-240	94.84	101.90	3.53
-241	98.02	105.08	3.53
-242	101.19	108.25	3.53
-243	104.37	111.43	3.53
-244	107.54	114.60	3.53
-245	110.72	117.78	3.53
-246	113.89	120.95	3.53
-247	117.07	124.13	3.53
-248	120.24	127.30	3.53
-249	123.42	130.48	3.53
-250	126.59	133.65	3.53
-251	129.77	136.83	3.53
-252	132.94	140.00	3.53
-253	136.12	143.18	3.53
-254	139.30	146.36	3.53
-255	142.47	149.53	3.53
-256	145.65	152.71	3.53
-257	148.82	155.88	3.53
-258	152.00	159.06	3.53
-259	158.35	165.41	3.53
-260	164.70	171.76	3.53

-261	171.05	178.11	3.53
-262	177.40	184.46	3.53
-263	183.75	190.81	3.53
-264	190.10	197.16	3.53
-265	196.45	203.51	3.53
-266	202.80	209.86	3.53
-267	209.15	216.21	3.53
-268	215.50	222.56	3.53
-269	221.85	228.91	3.53
-270	228.20	235.26	3.53
-271	234.55	241.61	3.53
-272	240.90	247.96	3.53
-273	247.25	254.31	3.53
-274	253.60	260.66	3.53
-275	266.30	273.36	3.53
-276	279.00	286.06	3.53
-277	291.70	298.76	3.53
-278	304.40	311.46	3.53
-279	329.80	336.86	3.53
-280	355.20	362.26	3.53
-281	380.60	387.66	3.53
-282	405.26	412.32	3.53
-283	430.66	437.72	3.53
-284	456.06	463.12	3.53



AS-568A 3-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
-309	10.46	21.12	5.33
-310	12.07	22.73	5.33
-311	13.64	24.30	5.33
-312	15.24	25.90	5.33
-313	16.81	27.47	5.33
-314	18.42	29.08	5.33
-315	19.99	30.65	5.33
-316	21.59	32.25	5.33
-317	23.16	33.82	5.33
-318	24.77	35.43	5.33
-319	26.34	37.00	5.33
-320	27.94	38.60	5.33
-321	29.51	40.17	5.33
-322	31.12	41.78	5.33
-323	32.69	43.35	5.33
-324	34.29	44.95	5.33
-325	37.47	48.13	5.33
-326	40.65	51.31	5.33
-327	43.82	54.48	5.33
-328	46.99	57.65	5.33
-329	50.16	60.82	5.33
-330	53.34	64.00	5.33
-331	56.52	67.18	5.33
-332	59.69	70.35	5.33
-333	62.87	73.53	5.33
-334	66.04	76.70	5.33
-335	69.22	79.88	5.33
-336	72.39	83.05	5.33
-337	75.57	86.23	5.33
-338	78.74	89.40	5.33
-339	81.92	92.58	5.33
-340	85.09	95.75	5.33
-341	88.27	98.93	5.33
-342	91.44	102.10	5.33
-343	94.62	105.28	5.33
-344	97.79	108.45	5.33
-345	100.96	111.62	5.33

-346	104.14	114.80	5.33
-347	107.32	117.98	5.33
-348	110.46	121.12	5.33
-349	113.67	124.33	5.33
-350	117.02	127.68	5.33
-351	120.02	130.68	5.33
-352	123.19	133.85	5.33
-353	126.37	137.03	5.33
-354	129.54	140.20	5.33
-355	132.72	143.38	5.33
-356	135.89	146.55	5.33
-357	139.07	149.73	5.33
-358	142.24	152.90	5.33
-359	145.42	156.08	5.33
-360	148.59	159.25	5.33
-361	151.77	162.43	5.33
-362	158.12	168.78	5.33
-363	164.47	175.13	5.33
-364	170.82	181.48	5.33
-365	177.17	187.83	5.33
-366	183.52	194.18	5.33
-367	189.87	200.53	5.33
-368	196.22	206.88	5.33
-369	202.57	213.23	5.33
-370	208.92	219.58	5.33
-371	215.27	225.93	5.33
-372	221.62	232.28	5.33
-373	227.97	238.63	5.33
-374	234.32	244.98	5.33
-375	240.67	251.33	5.33
-376	247.02	257.68	5.33
-377	253.37	264.03	5.33
-378	266.07	276.73	5.33
-379	278.77	289.43	5.33
-380	291.47	302.13	5.33
-381	304.17	314.83	5.33
-382	329.55	340.21	5.33
-383	354.97	365.63	5.33
-384	380.37	391.03	5.33
-385	405.26	415.92	5.33
-386	430.65	441.31	5.33
-387	456.06	466.72	5.33
-388	481.46	492.12	5.33
-389	506.86	517.52	5.33

-390	532.26	542.92	5.33
-391	557.66	568.32	5.33
-392	582.65	593.31	5.33
-393	608.10	618.76	5.33
-394	633.50	644.16	5.33
-395	658.85	669.51	5.33

AS-568A 4-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
-425	113.67	127.65	6.99
-426	116.84	130.82	6.99
-427	120.02	134.00	6.99
-428	123.19	137.17	6.99
-429	126.37	140.35	6.99
-430	129.54	143.52	6.99
-431	132.72	146.70	6.99
-432	135.89	149.87	6.99
-433	139.07	153.05	6.99
-434	142.24	156.22	6.99
-435	145.42	159.40	6.99
-436	148.59	162.57	6.99
-437	151.77	165.75	6.99
-438	158.12	172.10	6.99
-439	164.47	178.45	6.99
-440	170.82	184.80	6.99
-441	177.17	191.15	6.99
-442	183.52	197.50	6.99
-443	189.87	203.85	6.99
-444	196.22	210.20	6.99
-445	202.57	216.55	6.99
-446	215.27	229.25	6.99
-447	227.97	241.95	6.99
-448	240.67	254.65	6.99
-449	253.37	267.35	6.99
-450	266.07	280.05	6.99
-451	278.77	292.75	6.99
-452	291.47	305.45	6.99
-453	304.17	318.15	6.99
-454	316.87	330.85	6.99
-455	329.57	343.55	6.99
-456	342.27	356.25	6.99
-457	354.97	368.95	6.99
-458	367.67	381.65	6.99
-459	380.37	394.35	6.99
-460	393.07	407.05	6.99
-461	405.26	419.24	6.99

-462	417.96	431.94	6.99
-463	430.66	444.64	6.99
-464	443.36	457.34	6.99
-465	456.36	470.34	6.99
-466	468.76	482.74	6.99
-467	481.46	495.44	6.99
-468	494.16	508.14	6.99
-469	506.86	520.84	6.99
-470	532.26	546.24	6.99
-471	557.66	571.64	6.99
-472	582.65	596.63	6.99
-473	608.10	622.08	6.99
-474	633.50	647.48	6.99
-475	658.85	672.83	6.99

AS-568A 9-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
-901	4.70	7.54	1.42
-902	6.07	9.33	1.63

AS-568A 9-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
-903	7.65	10.91	1.63
-904	8.92	12.58	1.83
-905	11.15	14.81	1.83
-906	11.89	15.85	1.98
-907	13.46	17.62	2.08
-908	16.36	20.78	2.21
-909	17.94	22.86	2.46
-910	19.18	24.10	2.46
-911	21.92	27.82	2.95
-912	23.47	29.37	2.95
-913	25.04	30.94	2.95
-914	26.60	32.50	2.95
-916	30.75	36.65	2.95
-918	34.42	40.32	2.95
-920	37.46	43.46	3.00
-924	43.68	49.68	3.00
-928	53.09	59.09	3.00
-932	59.36	65.36	3.00



P-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
P3	2.80	6.60	1.90
P4	3.80	7.60	1.90
P5	4.80	8.60	1.90
P6	5.80	9.60	1.90
P7	6.80	10.60	1.90
P8	7.80	11.60	1.90
P9	8.80	12.60	1.90
P10	9.80	13.60	1.90
P10A	9.80	14.60	2.40
P11	10.80	15.60	2.40
P11.2	11.00	15.80	2.40
P12	11.80	16.60	2.40
P12.5	12.30	17.10	2.40
P14	13.80	18.60	2.40
P15	14.80	19.60	2.40
P16	15.80	20.60	2.40
P18	17.80	22.60	2.40
P20	19.80	24.60	2.40
P21	20.80	25.60	2.40
P22	21.80	26.60	2.40
P22A	21.70	28.70	3.50

P-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
P22.4	22.10	29.10	3.50
P24	23.70	30.70	3.50
P25	24.70	31.70	3.50
P25.5	25.20	32.20	3.50
P26	25.70	32.70	3.50
P28	27.70	34.70	3.50
P29	28.70	35.70	3.50
P29.5	29.20	36.20	3.50
P30	29.70	36.70	3.50
P31	30.70	37.70	3.50
P31.5	31.20	38.20	3.50
P32	31.70	38.70	3.50
P34	33.70	40.70	3.50
P35	34.70	41.70	3.50
P35.5	35.20	42.20	3.50
P36	35.70	42.70	3.50
P38	37.70	44.70	3.50
P39	38.70	45.70	3.50
P40	39.70	46.70	3.50
P41	40.70	47.70	3.50
P42	41.70	48.70	3.50
P44	43.70	50.70	3.50
P45	44.70	51.70	3.50
P46	45.70	52.70	3.50
P48	47.70	54.70	3.50
P49	48.70	55.70	3.50
P50	49.70	56.70	3.50
P48A	47.60	59.00	5.70
P50A	49.60	61.00	5.70
P52	51.60	63.00	5.70
P53	52.60	64.00	5.70
P55	54.60	66.00	5.70
P56	55.60	67.00	5.70
P58	57.60	69.00	5.70
P60	59.60	71.00	5.70
P62	61.60	73.00	5.70
P63	62.60	74.00	5.70

P65	64.60	76.00	5.70
P67	66.60	78.00	5.70
P70	69.60	81.00	5.70
P71	70.60	82.00	5.70
P75	74.60	86.00	5.70
P80	79.60	91.00	5.70
P85	84.60	96.00	5.70
P90	89.60	101.00	5.70
P95	94.60	106.00	5.70
P100	99.60	111.00	5.70
P102	101.60	113.00	5.70
P105	104.60	116.00	5.70
P110	109.60	121.00	5.70
P112	111.60	123.00	5.70
P115	114.60	126.00	5.70
P120	119.60	131.00	5.70
P125	124.60	136.00	5.70
P130	129.60	141.00	5.70
P132	131.60	143.00	5.70
P135	134.60	146.00	5.70
P140	139.60	151.00	5.70
P145	144.60	156.00	5.70
P150	149.60	161.00	5.70
P150A	149.50	166.30	8.40
P155	154.50	171.30	8.40
P160	159.50	176.30	8.40
P165	164.50	181.30	8.40
P170	169.50	186.30	8.40
P175	174.50	191.30	8.40
P180	179.50	196.30	8.40
P185	184.50	201.30	8.40
P190	189.50	206.30	8.40
P195	194.50	211.30	8.40
P200	199.50	216.30	8.40
P205	204.50	221.30	8.40
P209	208.50	225.30	8.40
P210	209.50	226.30	8.40
P215	214.50	231.30	8.40
P220	219.50	236.30	8.40
P225	224.50	241.30	8.40
P230	229.50	246.30	8.40
P235	234.50	251.30	8.40
P240	239.50	256.30	8.40
P245	244.50	261.30	8.40

P250	249.50	266.30	8.40
P255	254.50	271.30	8.40
P260	259.50	276.30	8.40
P265	264.50	281.30	8.40
P270	269.50	286.30	8.40
P275	274.50	291.30	8.40
P280	279.50	296.30	8.40
P285	284.30	301.10	8.40
P290	289.50	306.30	8.40
P295	294.50	311.30	8.40
P300	299.50	316.30	8.40
P315	314.50	331.30	8.40
P320	319.50	336.30	8.40
P335	334.50	351.30	8.40
P340	339.50	356.30	8.40
P355	354.50	371.30	8.40
P360	359.50	376.30	8.40
P375	374.50	391.30	8.40
P385	384.50	401.30	8.40
P400	399.50	416.30	8.40

G-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
G25	24.40	30.60	3.10
G30	29.40	35.60	3.10
G35	34.40	40.60	3.10
G40	39.40	45.60	3.10
G45	44.40	50.60	3.10
G50	49.40	55.60	3.10
G55	54.40	60.60	3.10
G60	59.40	65.60	3.10
G65	64.40	70.60	3.10
G70	69.40	75.60	3.10
G75	74.40	80.60	3.10
G80	79.40	85.60	3.10
G85	84.40	90.60	3.10
G90	89.40	95.60	3.10
G95	94.40	100.60	3.10
G100	99.40	105.60	3.10
G105	104.40	110.60	3.10
G110	109.40	115.60	3.10
G115	114.40	120.60	3.10
G120	119.40	125.60	3.10
G125	124.40	130.60	3.10
G130	129.40	135.60	3.10
G135	134.40	140.60	3.10
G140	139.40	145.60	3.10
G145	144.40	150.60	3.10
G150	149.30	160.70	5.70
G155	154.30	165.70	5.70
G160	159.30	170.70	5.70
G165	164.30	175.70	5.70
G170	169.30	180.70	5.70
G175	174.30	185.70	5.70
G180	179.30	190.70	5.70
G185	184.30	195.70	5.70
G190	189.30	200.70	5.70
G195	194.30	205.70	5.70
G200	199.30	210.70	5.70
G210	209.30	220.70	5.70

G215	214.30	225.70	5.70
G220	219.30	230.70	5.70
G230	229.30	240.70	5.70
G240	239.30	250.70	5.70
G250	249.30	260.70	5.70
G260	259.30	270.70	5.70
G270	269.30	280.70	5.70
G280	279.30	290.70	5.70
G290	289.30	300.70	5.70
G300	299.30	310.70	5.70

S-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
S-3	2.50	5.50	1.5
S-4	3.50	6.50	1.5
S-5	4.50	7.50	1.5
S-6	5.50	8.50	1.5
S-7	6.50	9.50	1.5
S-8	7.50	10.50	1.5
S-9	8.50	11.50	1.5
S-10	9.50	12.50	1.5
S-11.2	10.70	13.70	1.5
S-12	11.50	14.50	1.5
S-12.5	12.00	15.00	1.5
S-14	13.50	16.50	1.5
S-15	14.50	17.50	1.5
S-16	15.50	18.50	1.5
S-18	17.50	20.50	1.5

S-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
S-20	19.50	22.50	1.5
S-22	21.50	24.50	1.5
S-22.4	21.90	25.90	2
S-24	23.50	27.50	2
S-25	24.50	28.50	2
S-26	25.50	29.50	2
S-28	27.50	31.50	2
S-29	28.50	32.50	2
S-30	29.50	33.50	2
S-31.5	31.00	35.00	2
S-32	31.50	35.50	2
S-34	33.50	37.50	2
S-35	34.50	38.50	2
S-35.5	35.00	39.00	2
S-36	35.50	39.50	2
S-38	37.50	41.50	2
S-39	38.50	42.50	2
S-40	39.50	43.50	2
S-42	41.50	45.50	2
S-44	43.50	47.50	2
S-45	44.50	48.50	2
S-46	45.50	49.50	2
S-48	47.50	51.50	2
S-50	49.50	53.50	2
S-53	52.50	56.50	2
S-55	54.50	58.50	2
S-56	55.50	59.50	2
S-60	59.50	63.50	2
S-63	62.50	66.50	2
S-65	64.50	68.50	2
S-67	66.50	70.50	2
S-70	69.50	73.50	2
S-71	70.50	74.50	2
S-75	74.50	78.50	2
S-80	79.50	83.50	2
S-85	84.50	88.50	2
S-90	89.50	93.50	2

S-95	94.50	98.50	2
S-100	99.50	103.50	2
S-105	104.50	108.50	2
S-110	109.50	113.50	2
S-112	111.50	115.50	2
S-115	114.50	118.50	2
S-120	119.50	123.50	2
S-125	124.50	128.50	2
S-130	129.50	133.50	2
S-132	131.50	135.50	2
S-135	134.50	138.50	2
S-140	139.50	143.50	2
S-145	144.50	148.50	2
S-150	149.50	153.50	2

V-SERIES		FKM75#4	
O-RING	I. D (mm)	O. D (mm)	W (mm)
V15	14.5	22.5	4
V24	23.5	31.5	4
V34	33.5	41.5	4
V40	39.5	47.5	4
V55	54.5	62.5	4
V70	69	77	4
V85	84	92	4
V100	99	107	4
V120	119	127	4
V150	148.5	156.5	4
V175	173	181	4
V225	222.5	234.5	6
V275	272	284	6
V325	312.5	324.5	6
V380	376	388	6
V430	425.5	437.5	6
V480	475	495	10
V530	524.5	544.5	10
V585	579	599	10
V640	633.5	653.5	10
V690	683	703	10
V740	732.5	752.5	10
V790	782	802	10
V845	836.5	856.5	10
V950	940.5	960.5	10
V1055	1044	1064	10